

Qty	Part	Description
1.00	TMAX 2-14	TMAX 2-14 Aluminum Mech Body
<i>ENG Custom Body</i> <i>PN ENG TMAX 2-14 AL with 21" wokbench bumper for IVECO 4X4 cab over chassis, sh</i> <i>ENG Custom SS1VF Option 2</i> <i>PN 41250X DRAWER ROLOT (3)3(1)5 16H32W18D INST</i> <i>ENG Custom SS1VR Option 3</i> <i>PN 138443X SHELF STRUT W/(3)DIVIDERS 19.00WX50.63-52.00L INST</i> <i>ENG Custom CS1V Option 3</i> <i>PN 138604X SHELF STRUT W/(3)DIVIDERS 19.00WX17.19-18.50L INST</i> <i>ENG Custom CS2V Option 1</i> <i>PN 35291X DRAWER ROLOT (2)3(2)5 18H28W18D INST</i> <i>ENG Custom CS3V Option 1</i> <i>PN 138792X DIVIDER KIT SHELF MECH 52H/60HX19.00W V3 INST</i> <i>ENG Custom CS3V Option 2</i> <i>PN 138165X BRKT ASM OXY/ACET MECH V3 INST</i> <i>ENG Custom Body Mount Option 1</i> <i>PN 110363X ROCK GUARD KIT FRONT TMAX ARSD 60 CAB OVER V2 INST</i> <i>ENG Custom Light Option 3</i> <i>PN 141445X LIGHT KIT COMPT V3 T1-13 T2/T3S-14 INST</i>		

Qty	Part	Description
		Body
1.00	TMAX 2-14A	TMAX 2-14 Aluminum ENG
1.00	13594	Mounting kit for TMAX2 - all lengths
		Equipment / Options
1.00	100026	EnPak A30GBW Diesel Mechanics Series, SIDEPACK Mount, Up to 30 CFM Air Compressor @ 100 PSI, Single Phase 6500 Watt Generator for Continuous Power, 210 Amp Welder Maximum

		Output, 12/24V 100 Amp Battery Charge, 12/24V 300 Amp Crank Assist, Chassis Power to Monitor Batteries with Automatic Charge, Advanced Auto-speed Varies Engine RPM from 2400-3600 for Power Demands, Auto Start/Stop Based on Demand, CAN Bus Connectivity. Includes: Remote Mounted User Interface Panel (Standard Location: Street Side Rear Compartment) and Charge/Crank Assist/Weld Panel (Standard Location: Street Side Rear Compartment Note: Optional Auxiliary Power Panel (120V/240V Outlets) must be selected separately.
1.00	108533	Multimatic 215 (Used with EnPak w/o Integrated Welder) - MIG Weld Thickness Capabilities of 24 ga. - 3/8" Steel and 18 ga. - 3/8" Aluminum, TIG Weld Thickness Capabilities of 24 ga. - 1/4" Steel, Net Weight 38 lb. (17.2 kg).
1.00	125262X	EnPak A60 GBHW Auxiliary 120/240V Remote Outlet Panel with mounting bracket for A60GBHW power panels . Includes: (1) 120V Outlet with (2) GFCI Duplex Receptacles, (1) 120/240V Receptacle with 60 Hz Current and Required Harnesses. Installed. Note: Standard Location: Street Side Rear Compartment
1.00	131307X	EnPak A30 mounting bars for aluminum bodies with a sliding top - Installed
		Air Options
1.00	15839S	22 gallon air tank with fittings, hose kit, mounting brackets, for Ford/IH TS and TMAX2 chassis, painted black
1.00	139045X	FLR strut mounted system - 1 outlet for air hose (filter, lubricator, regulator) - Installed
		Hydraulic Options
1.00	114827	Hydraulic reservoir - 35 gallon, bulkhead mounted, painted black, for Stellar® 2025 TMAX body
		SS1VF
1.00	ENG	SS1VF Option 2-Engineered to order
		SS1VR
1.00	ENG	SS1VR Option 3-Engineered to order
		SS Horizontal
1.00	85811X	21 Drawer Steel Bolt Bin 16"H x 47.25"W x 17.25"D - Installed

SS Rear		
3.00	138441X	Strut mounted shelf with (3) dividers 23.38"W x 19.00"D - Installed
CS1V		
1.00	ENG	CS1V Option 3-Engineered to order
CS2V		
1.00	ENG	CS2V Option 1-Engineered to order
CS3V		
1.00	ENG	CS3V Option 1-Engineered to order
1.00	ENG	CS3V Option 2-Engineered to order
CS Horizontal		
1.00	23378X	Drawer Set, 13.5"H x 48"W x 18"D, 3-3" (incl. 2.5" riser) - Installed
CS Rear		
1.00	16337X	1/2" x 50' hose reel with roller guide - exits rear of body. Installed.
Body Mounted Options		
1.00	ENG	Body Mount Option 1-Engineered to order
1.00	63473X	Black grab handle - mounts to rear side pack and bumper - Installed
1.00	139194	One pair Stellar mud flaps with wire guards and mounting bolts (Included in factory installation)
1.00	109049X	TMAX aluminum tailgate - 12" tall, painted black with bed liner on load bed side and 3" lip on the outside. Price of painted tailgate included in body, price is for bed liner - Installed
1.00	134407X	Adjustable boom support - octagon booms - 21.5" to 27.5" - TMAX aluminum body - roller rest - painted black - Installed
Bumper Mounted Options		

1.00	59719X	Vise mounting plate - receiver work bench mount - Installed
1.00	78970	Slide out step for TMAX work bench bumper - aluminum
1.00	43039X	Rear stabilizer up to 92,000 ft-lbs, hydraulic out/hydraulic down - for installation in bumper of Stellar TMAX 2 or equivalent body, painted black. Installed
Light Options		
2.00	140307X	LED flood light for TMAX aluminum body - Hella - Installed
1.00	ENG	Light Option 3-Engineered to order
1.00	141310X	Stellar® rear taillights equipped with integrated strobe lights, license plate bracket, ID light bar, reflectors, and one flood light mounted on top of each box - Installed

Safety Options

1.00	139903X	Cover Plate for Backup Camera - Installed
1.00	5305X	ICC safety kit consisting of rechargeable 2.5# fire extinguisher and reflector kit - Installed

Electrical Options

1.00	85450X	E-Link 2.0 Basic - cab mounted / rear mounted manual switches (includes body harness and PDM) - Installed
1.00	35560	Dash mount kit - E-Link Basic/VEC

Paint & Finish

1.00	127980	Paint 13'+ body Stellar White Paint, Axalta paint code 350407EX.
1.00	36317	Spray on bed liner for load bed walls and floor - Black
1.00	36315	Spray on bed liner for work bench bumper - Black

Qty	Part	Description
1.00	118505S	Stellar® 8630 Telescopic Crane - 53,100 ft/lb rated, 8,600 lb. maximum capacity - 30' full hydraulic reach - CDTpro™ equipped proportional radio remote control
Qty	Part	Description
1.00	134833S	Crane boom tip slim light - gravity rotating - dual LED trilliant lights for bar style flip sheave - CDTpro™ cranes only