



1x **Daimler Demo Unit** MERCEDES-BENZ 3343 S/6X4/4500 "ZETROS" tractor unit

General Information

MERCEDES-BENZ 3343 S/6X4/4500

Milage	1.335 Km
Mounting	Tractor Head
Cab	M-Cab
Engine	Engine, R6, LA, 315 kW (428 HP), 1900/min, Euro 3
Wheel base	4.500 mm, 6x4
Steering	Left hand drive
Suspension	Leaf springs
Gearshift	Manual
Paintwork	7754 steel grey metallic
Tires	308K26 80 x 4 13 R 22,5# TL (S+G) Highway cross country "K"
	308K26 80 x 4 13 R 22,5# TL (S+G) Highway cross country "K"
	308K26 80 x 4 13 R 22,5# TL (S+G) Highway cross country "K"





Mercedes-Benz

Equipment

AL5	Front axle 9.0 t
AM3	Rear axle H7, 13.0 t, crown wheel 300
AR1	Axle ratio $i = 5.333$ (HL7)
A71	Differential lock, rear axle
BB0	Anti-lock braking system (ABS), disengageable
BB6	Drum brakes on front and rear axle
BB9	Pipe fracture protection for brake system
BD3	Brake and electrical connections, high
B02	Anti-lock braking system (ABS)
B22	Parking brake for GCW 44 t to 60 t
B43	Trailer brake, 2-line
B65	Compressed air dryer, heated
CM0	ZF steering gear
CR5	Frame front end, reinforced, for special attachments
C40	Stabiliser, front axle
C42	Stabiliser, rear axle, under frame
C69	Support bracket for fifth-wheel coupling, extended
EB3	Batteries, 2 x 12V/220 Ah, low-maintenance
EC6	Trailer socket, 15-pin
EC8	Adapter, 15-pin to 2x7-pin socket
EU1	CD-radio
E30	Battery master switch, single-pin
E39	Automatic cutouts
E40	Trailer socket, 7-pin
E41	Trailer socket, 12-pin
E84	Battery box, lockable
E99	Terminal caps, batteries
FE5	Power windows for driver's/co-driver's door
FS2	Wide-angle mirror on driver's side, heated
FS3	Exterior mirror, electric, heated, co-driver's side
FS9	Mirror on driver's side, electrically adjustable
FW2	Deletion, immobiliser (transponder)
F05	M-cab
F34	Cab rear wall without window
F53	Uncoated parts, paintable
F63	Kerb mirror, co-driver's side
F89	Entry aid, driver's and co-driver's door
GC2	Transmission G 240-16/11.7-0.69
GS3	Gearshift, hydraulic
G81	Clutch, reinforced
H03	Air conditioning system
H04	Heat insulation, additional
JK2	Instrument cluster, graphics-capable display
JW0	Reversing warning device
JW5	Telligent maintenance system
J10	Speedometer, km
J58	Warning device for seat belts
J70	Air horn
KH8	Exhaust silencer, tailpipe downwards
KI0	Protective plate under main tank
KL9	Fuel prefilter, additional
K40	Tank-cap lock



Mercedes-Benz

K45	Screen, tank filler neck
K81	Fuel pre-filter, heated water separator
LB1	Side marker lights
LH6	Protective grille for tail lamps
L06	Daytime running lamp
L12	Headlamps, halogen
L16	Fog lamps, halogen
L28	Floodlights
L30	Protective grilles, headlamps
L62	Reading light
L72	Electrics, for non-MB body
MA9	Engine mountings, for off-road use
MB1	Exhaust brake, with constantly-open throttle valve
MD4	Speed limiter, 90 km/h, EC
MD9	Cruise control
MM9	Engine, 6-cyl. in-line, LA, 315kW (428hp), 1900 rpm
MP0	Engine package, for heavy-duty operation
MS3	Engine version, Euro III
MZ7	Air compressor, 1-cylinder, regulated
M45	Alternator 28 V/ 100 A
M58	Fan, increased output
M67	Cyclone pre-filter
M72	Protective plate under radiator and engine
NH2	PTO, layshaft MB 131-2c
N55	Transmission oil cooling
P92	Deletion, mudguards for chassis transit
QC4	Front spring, 7.5 t
QF1	Rear spring, 13.0 t, for axle spacing 1450
QJ7	5th-whl coupl, Jost 38-C1, 3.5-in, H=190 mm, man. lubr.
QM8	Assembly plate, 40 mm, for 36t 5th-wheel coupling
Q29	Trailer/tow-away coupling, Ringfeder
Q57	Tow-away coupling, rear
R04	Wheel nut cap
R38	15-degree tapered rims, 9.00 x 22.5
R60	Spare wheel carrier, provisional
R87	Spare wheel/spare wheel rim
SG0	Co-driver's seat, static, adjustable ht+inclin., ISRI
SG5	Driver's standard suspension seat, Isringhausen
SL4	Compact bunk, top, folding
TR6	Weight variant 33.0 t (7.5/13.0/13.0)
XC2	Model plate, Gulf States
X38	Model identification, acc. to weight variant
X42	Labels/publications, English
X53	Publications, Arabic, additional
YU1	Bracket, wheel chock, on end crossmember
Y10	First aid kit
Y16	Fire extinguisher
Y28	2 wheel chocks
Y30	Tyre pressure gauge
Y35	Tyre inflating hose, 25 m
Y44	Hazard warning triangle
Y45	Warning lamp