

TOYOTA HIACE BUS 2.8L DIESEL 13-SEATER DX MANUAL

Engine Type : L4, COMMON RAIL TYPE, Model Code : GDH322L - EDFPYV UOM01

Engine Size 2.8L Steering LHD **Displacement** : 2755 CC Grade DX : Power : 161 Hp (SAE-Net) **Doors** 4 **Torque** 42.8 Kg-M (SAE-Net) Seats 13

Transmission : 6 Speed Manual Fuel : DIESEL

SUSPENSION / DIMENSIONS

Front : McPherson

Rear : Leaf Spring

Overall Size : 5915 x 1950 2380 mm

Wheelbase : 3860 mm

Ground Clearance : 185 mm

Min. Turning Radius : 6.4 m

Kerb Weight : 2.640 Kgs

BRAKES

Front Brake : Ventilated Disc Brake
Rear Brake : Ventilated Disc Brake

SAFETY

- Anti- Locking Braking System (ABS)
- Brake Assist (BA)
- Vehicle Stability Control (VSC)
- Emergency Stop Signal (ESS)
- Traction Control (TRC)
- Auto LSD
- · Airbag Driver and Passenger
- · Fire Extinguisher OE
- · Tyre Pressure Monitoring System

AIR CONDITION

· Air Conditioner & Heater - Front & Rear

INTERIOR

- · Steering Power / Tilt with Telescopic
- Front Seatbelt 3PELR x 2 (Driver + Passenger PT + FL)
- Rear Seatbelt 2 PNR X 11
- · Rear Headrest 11 Nos
- Fuel Lid Opener
- Inner Rearview Mirror Day / Night
- Light Control System Sensor Only
- · Rear Left Side Glass Fixed
- · Rear Quarter Left Glass Slide
- Rear Quarter Glass Fixed
- Rear Right Side Glass Slide
- · Seat Material Fabric
- Sun Visor D + P (PVC)
- Illuminated Entry System Ignition Key + Room Lamp
- Keyless Entry
- Power Door Lock
- Power Windows
- Meter Illumination Control
- Radio AM / FM
- Stereo CD / MP3, USB, AUX Bluetooth * and 4 Speakers
- Driver Seat Vertical Adjuster

EXTERIOR

- Front & Rear Bumper Black
- Door Handles Black
- · Front Grille Silver
- · Headlamps Halogen
- High Mount Stop Lamp LED
- Outer Mirrors Colour Keyed + Black, Power, Power Retractable, Turn Signals
- Under View Mirror
- · Windshield Glass Reinforced, UV Cut Green
- Black Door Garnish Black
- · Clearance Lamp with Bulb
- · Front and Rear Wiper Intermittent + Mist
- Rear Fog Lamp
- · Rear Window Defogger

The 4WD Hiace Spec Kit inclusions are:

- Full time 4WD with High and Low range selection
- Electronic Transfer Case with OEM style dash mount-switch operation
- Electronic center diff lock with OEM style dash mount-switch operation
- Independent front-end suspension consisting of:
 - New heavy-duty steering knuckles & lower control arms
 - New uprated heavy-duty coil springs
- New designed engine cradle
- Modified rear-end suspension incorporating:
 - New uprated heavy-duty rear shock absorbers
 - New uprated heavy-duty rear leaf springs
- Upgraded 17" black steel wheel rims
- All terrain tires
- Mudflap set
- Wheel arch flares
- GVM increase to 4200Kg on both SLWB & Commuter models.
- Increase of 150mm of lift
- Complete engineering and compliance





