

TGM 18.320 4x2 BL CH



Vehicle standards

Product family	The new MAN Truck Generation
Model & Variant	TGM 18.320 4x2 BL CH
Emission class	EURO6
Engine family	D08R6
Engine output	235 kW (320 hp)
Battery gross capacity	0 kWh
Batteries number	0
Vehicle type	Vehicle type Tipper (KI)
Body type	031 Absetzkipper
Cab	Compact CC cab
Main wheel distance	3575 mm
Overhang	1125 mm
Steering configuration	Left

Vertical Load

	National Registration	Technical Load
Gross weight	18.000 kg	18.000 kg
Front axle	7.500 kg	7.500 kg
Rear axle	11.500 kg	12.000 kg

Horizontal Load

	National Registration	Technical Load
Trailer Load	19.500 kg	19.500 kg
Gross train weight	33.000 kg	33.000 kg



Vehicle characteristics

Basic characteristics

<input type="checkbox"/> Destination: Germany (DE)	0P3GA
<input type="checkbox"/> Merchant tonnage 18 t	0P8LF
<input type="checkbox"/> Basic layout of vehicle, all-round	0PGCU
<input type="checkbox"/> Right-hand traffic	0P3F5
<input type="checkbox"/> Vehicle documents in German	0P2L6
<input type="checkbox"/> Labelling in German	0P8NL
<input type="checkbox"/> Cab position 530 mm (distance from frame lower edge to cab floor)	0PHBD

Registration

<input type="checkbox"/> Vehicle approval, N3 class	0P3JR
<input type="checkbox"/> Maximum speed limiter, 89 km/h, tolerance +1 km/h, electronic, engine speed regulation	0P2UJ
<input type="checkbox"/> Regulation (EC) 595/2009, Euro VIe (heavy commercial vehicle emissions) fulfilled	0PJPC
<input type="checkbox"/> Maximum vehicle noise level, 78 dB in acc. with UN/ECE-R 51.03	0P2YJ
<input type="checkbox"/> Height over cab, unloaded up to 4,000 mm	0PHA1
<input type="checkbox"/> Swing out of vehicle rear up to 800 mm/1,000 mm with raised or steered last axle	0PHDB
<input type="checkbox"/> Vehicle classification in accordance with regulation (EU) 2018/858	0PKAW
<input type="checkbox"/> UN/ECE-R 141 (tyre pressure monitoring system (TPMS)) fulfilled	0PKYA
<input type="checkbox"/> UN/ECE-R 151 (Blind Spot Information System (BSIS)) fulfilled	0PKYC
<input type="checkbox"/> UN/ECE-R 155 (protection of the vehicle against cyber attacks (CSMS)) fulfilled	0PKYE
<input type="checkbox"/> UN/ECE-R 156 (Software Update Management System (SUMS)) fulfilled	0PKYG
<input type="checkbox"/> UN/ECE-R 158 (reversing assistant) fulfilled	0PKYI
<input type="checkbox"/> Regulation (EU) 2021/1243 (installation facilitation for an alcohol-sensitive immobiliser (Alco-Lock)) fulfilled	0PKYM
<input type="checkbox"/> Regulation (EU) 2021/1958 (Intelligent Speed Assistant (ISA)) fulfilled	0PKYQ
<input type="checkbox"/> Regulation (EU) 2021/1341 (Driver Attention and Drowsiness Warning (DDAW)) fulfilled	0PKYO
<input type="checkbox"/> UN/ECE-R 159 (collision warning system for pedestrians and cyclists) fulfilled	0PKYK

Documents

<input type="checkbox"/> European standard exhaust emission confirmation	0P2Q7
<input type="checkbox"/> CEMT certification	0P2U4
<input type="checkbox"/> Registration documentation, national	0P3AZ
<input type="checkbox"/> Special confirmation, heavy load / municipal operation	0P3CK
<input type="checkbox"/> L-plate and low-noise acceleration (in acc. with KDV 1967)	0P2E3

Application scope / transport tasks

<input type="checkbox"/> Construction	0P6WH
<input type="checkbox"/> 031 Set-down skip loader	0P2QK
<input type="checkbox"/> Temperature range, vehicle deployment, warm country	0PHIB
<input type="checkbox"/> Case hardness of final drive Distribution	0P4F0

Lines, editions and packages

<input type="checkbox"/> Trailer equipment preparation	0PFXN
<input type="checkbox"/> Special request paintwork	0PJTD
<input type="checkbox"/> Without Individual Lion package	0PJT1



Horizontal and vertical loads

<input type="checkbox"/> 18,000 kg permitted gross load, vertical, tech.	0P5S4
<input type="checkbox"/> 18,000 kg permitted gross load, vertical, tech. Plus	0P8GQ
<input type="checkbox"/> 7,500 kg permitted load on front axle, tech.	0P5LL
<input type="checkbox"/> 7,500 kg permitted load on front axle, tech. Plus	0P8D1
<input type="checkbox"/> 33,000 kg permitted gross train weight, national registration	0PBHQ
<input type="checkbox"/> 33,000 kg permissible gross train weight TechH.	0PBVB
<input type="checkbox"/> 33,000 kg permitted gross train weight, Tech. Plus	0PBOP
<input type="checkbox"/> 19,500 kg trailer load, national registration	0P8SE
<input type="checkbox"/> 19,500 kg trailer load TechH.	0P8WG
<input type="checkbox"/> 19,500 kg trailer load, technical Plus	0P8UF
<input type="checkbox"/> 79kN D value	0P9AM

Notification texts

<input type="checkbox"/> Note: With increased permissible gross weight, increase in wear of driveline and reduced service life	0PFZP
<input type="checkbox"/> Increased. Wear and reduction in service life of propshafts, regular checks necessary	0PJRU

Chassis

Vehicle frame (wheelbase, overhang, ...)

<input type="checkbox"/> Main frame side member thickness, 7 mm	0P0Y5
<input type="checkbox"/> Vehicle rear, straight end of frame	0P0XT

Exhaust system, air intake

<input type="checkbox"/> Exhaust silencer, side, right	0P1BH
<input type="checkbox"/> Exhaust tailpipe, towards middle of frame	0P1BT
<input type="checkbox"/> Air intake, behind cab, raised	0P0AY

Battery cases, batteries, alternator

<input type="checkbox"/> 2 batteries, 12 V, 150 Ah, standard (SLI), maintenance free	0PHLB
<input type="checkbox"/> Three-phase alternator 28 V, 120 A, 3,360 W, LIN	0P1BZ
<input type="checkbox"/> Small battery box, 2 batteries	0P0WS
<input type="checkbox"/> Battery box, left	0P0WO
<input type="checkbox"/> Main battery switch, mechanical	0P0WF
<input type="checkbox"/> Fuses	0P1V1

Tanks and fuel line

<input type="checkbox"/> Fuel tank capacity 220 l, right	0P4E2
<input type="checkbox"/> Fuel tank, right, steel	0P4GN
<input type="checkbox"/> Tank cross-section, right, low	0P4HF
<input type="checkbox"/> AdBlue tank capacity 35 l, right	0P4CZ
<input type="checkbox"/> AdBlue tank, right, plastic	0P4HU
<input type="checkbox"/> Fuel tank cap, lockable for master key system	0P4H5
<input type="checkbox"/> Cap for AdBlue tank, lockable	0P4GE
<input type="checkbox"/> Fuel pre-filter on the frame	0PKN2

Frame attachments



<input type="checkbox"/> Underride protection, front	0P1FN
<input type="checkbox"/> Without working platform	0P0VH
<input type="checkbox"/> Without underride protection, side	0P1FG
<input type="checkbox"/> Final cross member, with hole pattern 160 x 100 mm	0P1SB
<input type="checkbox"/> Without underride protection, rear	0P1FB
<input type="checkbox"/> Wheel chock, one unit, without retaining device, delivered loose	0P6WW
<input type="checkbox"/> Without body attachment brackets/thrust plates	0P0X6

Pneumatic brakes, compressed-air generation, brake system

<input type="checkbox"/> Air compressor, single cylinder, 238 ccm, with economy system	0P4Y2
<input type="checkbox"/> Air dryer, heated	0P0B2
<input type="checkbox"/> Compressed-air treatment, electronically controlled	0P0AA
<input type="checkbox"/> Steel compressed-air tank	0P0XH
<input type="checkbox"/> Electronic brake system (EBS)	0P0BL
<input type="checkbox"/> Anti-lock braking system (ABS)	0P0BE
<input type="checkbox"/> Full brake assistant	0P0CM
<input type="checkbox"/> Without preparation for EBS Full control unit	0PHPM
<input type="checkbox"/> MAN EVBec high-performance engine brake, stages possible	0P0BW
<input type="checkbox"/> Disc brakes on front axle	0P1I9
<input type="checkbox"/> Disc brakes on rear axle	0P1I4
<input type="checkbox"/> Parking brake control, next to driver's seat	0P3KH
<input type="checkbox"/> Parking brake with spring-type actuator on rear axles (incl. leading axle/ trailing axle)	0PGBL
<input type="checkbox"/> MAN EasyStart immobiliser	0P1TF
<input type="checkbox"/> Brake lining thickness display, with brake lining wear warning	0P0BG
<input type="checkbox"/> Harmonisation of brake lining wear	0P0BI

Lights and acoustic signals on the chassis (rear lights, ...)

<input type="checkbox"/> Rear lights	0P2AQ
<input type="checkbox"/> Protective cover for rear lights	0P6XS
<input type="checkbox"/> Emergency braking signal, hazard light activation, automatic	0P0CG
<input type="checkbox"/> Without reversing warning system	0P3CG
<input type="checkbox"/> Light function test	0P2AD
<input type="checkbox"/> Side marker lights, LED	0P2BJ

Driveline/running gear

Engine, radiator

<input type="checkbox"/> Diesel engine MAN D0836 LFLBI, 235 kW (320 hp) output, 1,250 Nm torque, Euro 6e	0PIAK
<input type="checkbox"/> Fuel filter, for fuels up to Cleanliness Class 21	0PHIH
<input type="checkbox"/> Fuel pre-filter, with oil separator/water trap, with water sensor	0P4XO
<input type="checkbox"/> Ventilation, crankcase, closed	0P8PM
<input type="checkbox"/> Anti-noise skirt, engine	0P2E7
<input type="checkbox"/> Engine cooler, normal length	0P4XX
<input type="checkbox"/> Engine oil dipstick and digital oil level gauge	0P0B6
<input type="checkbox"/> Antifreeze, down to -32 °C	0P0AK
<input type="checkbox"/> Flame-start system	0P0GD
<input type="checkbox"/> Stationary regeneration for catalytic converter, executable only after warning	0PGCN



Gearbox, clutch

<input type="checkbox"/> MAN PowerMatic 08.13 OD	OPHMK
<input type="checkbox"/> Gearbox for normal percentage of overrun during driving operation	OPGDA
<input type="checkbox"/> MAN TipMatic actuation, with drop arm, manual (DNR option, switching strategy option)	OP3KI
<input type="checkbox"/> MAN Idle Speed Driving gearbox function	OP0ER
<input type="checkbox"/> MAN TipMatic Efficiency driving program, up to 70,000 kg	OP0FA
<input type="checkbox"/> Without drive clutch	0PIXX
<input type="checkbox"/> Main propshaft, 14,000 Nm functional limit torque	OPKZG
<input type="checkbox"/> Propshafts with standard grease, cannot be lubricated	OPKZL
<input type="checkbox"/> Gearbox heat exchanger	OP0FW

Wheels, tyres

<input type="checkbox"/> Required tyre speed index J	OPFW2
<input type="checkbox"/> Front axle tyres optionally 315/80R22.5 Steering-Short-haul TL (156/150 K)	0PEXS
<input type="checkbox"/> Rim type, front axle, steel, single-part	OP0P0
<input type="checkbox"/> Rim size, front axle, 10-hole, 9.00x22.5	OP0NI
<input type="checkbox"/> Wheel nut cover ring, front axle	OP0PR
<input type="checkbox"/> Rear axle tyres optionally 315/80R22.5 Drive-Short-haul TL (154/150 K)	OPDRW
<input type="checkbox"/> Rim type, rear axle, steel, single-part	OP0OO
<input type="checkbox"/> Rim size, rear axle, 10-hole, 9.00x22.5	OP0MU
<input type="checkbox"/> Tyre pressure monitoring system (TPM) with display of tyre temperature	0PJT7
<input type="checkbox"/> Tyre pressure monitor for trailers	OP2N6

Axles

<input type="checkbox"/> Steering ratio, standard	OP1JX
<input type="checkbox"/> Steering oil tank with dipstick	OP1JW
<input type="checkbox"/> Front axle, 7,500 kg, not driven, cranked, steered, not liftable	OP5EQ
<input type="checkbox"/> Mudguard, front axle	OP1AT
<input type="checkbox"/> Splash guard mat on mudguard, front axle, longer at bottom	OP1XS
<input type="checkbox"/> Rear axle HY-1350, 13,000 kg, hypoid axle without drive-through, straight, not steered, not liftable	0PIYX
<input type="checkbox"/> Axle ratio, $i = 4.63$	OP0D9
<input type="checkbox"/> Differential locks on driven rear axles	OP0DI
<input type="checkbox"/> Without differential locks, front axles	OP0DL

Axle control system and suspension

<input type="checkbox"/> Control unit for electronically controlled air suspension (VASC)	OP3K9
<input type="checkbox"/> VASC parametrisation for automatic setting of normal level from 20 km/h	OP1KU
<input type="checkbox"/> VASC parametrisation for air suspension lowering to approx. 20 mm above buffer	OP1KS
<input type="checkbox"/> Spring load-bearing capacity front axle 7,500 kg	OP5CZ
<input type="checkbox"/> Spring load-bearing capacity of rear axle, 13,000 kg	OP5BV
<input type="checkbox"/> Shock absorbers on front axle	OP1M4
<input type="checkbox"/> Shock absorbers on rear axle	OP1LQ
<input type="checkbox"/> Stabiliser, front axle	OP1LD
<input type="checkbox"/> Stabiliser, rear axle	OP1LA
<input type="checkbox"/> Wishbone	OP6ZR
<input type="checkbox"/> Without air suspension control, trailer/semitrailer	OPHN2



Cab

Cab and cab exterior

<input type="checkbox"/> Compact CC cab	0P2DK
<input type="checkbox"/> Cab mount, Basic	0P1V8
<input type="checkbox"/> Cab tilt mechanism, manual	0P1V6
<input type="checkbox"/> Tilting roof, mechanical	0P1VW
<input type="checkbox"/> Bumper, steel, 3 pieces	0P1SG
<input type="checkbox"/> Front step, integrated, with grab option	0P1VE
<input type="checkbox"/> Windscreen, composite safety glass, tinted	0P1X0
<input type="checkbox"/> Sunblind, in front of windscreen	0P1WK
<input type="checkbox"/> Wiper system for windscreen	0P1WG
<input type="checkbox"/> Wiper activation, manual	0P1UL
<input type="checkbox"/> Step unit, rigid	0P1UZ
<input type="checkbox"/> Central locking, no remote control	0P1WS
<input type="checkbox"/> Vehicle key, 2 units	0P3JT
<input type="checkbox"/> No door extension	0P1WV
<input type="checkbox"/> Door labelling, according to trade tonnage of vehicle	0P2DQ
<input type="checkbox"/> Door windows, tinted	0P1WO
<input type="checkbox"/> Door window, safety glass	0P1WM
<input type="checkbox"/> Cab rear wall, with window	0P1VB

Lights and acoustic signals on cab exterior (headlights, horn, ...)

<input type="checkbox"/> H7 package Plus, front headlights, fog lights, cornering light	0PKWR
<input type="checkbox"/> Front headlights, H7	0P1ZN
<input type="checkbox"/> Stone protection for front headlights, guard, wide mesh	0P1ZT
<input type="checkbox"/> Daytime driving lights, LED	0P2BP
<input type="checkbox"/> Fog lights, H7	0P2AH
<input type="checkbox"/> Cornering light, H7	0P1YF
<input type="checkbox"/> Turn signal lights, sides, bulb	0P1Z6
<input type="checkbox"/> Headlight beam regulator, manual	0P2AC
<input type="checkbox"/> Driving-light control, manual	0P1ZF
<input type="checkbox"/> Contour lights, bulb, 2 units	0P2BT
<input type="checkbox"/> Horn, single-tone, electrical	0P1W0
<input type="checkbox"/> Preparation for additional lighting, vehicle rear	0P2C3
<input type="checkbox"/> Preparation for revolving beacons (wiring)	0P2BF
<input type="checkbox"/> 2 revolving beacons on cab roof, 1 right and 1 left	0P2B3
<input type="checkbox"/> Spotlights, 2 units, cab roof, 1 right and 1 left	0P1YM
<input type="checkbox"/> Spotlight, LED, white	0PJQA
<input type="checkbox"/> Switch for spotlight/manoeuvring light	0P5U5
<input type="checkbox"/> Without revolving beacons at the rear of the vehicle	0PJRO

Mirrors and mirror replacements

<input type="checkbox"/> Exterior rear-view mirror, electrically adjustable, heated, front mirror, kerb mirror, right	0PKW2
<input type="checkbox"/> Exterior rear-view mirror, electrically adjustable with manoeuvring aid	0P2CB
<input type="checkbox"/> Kerb mirror, right, electrically adjustable	0P2CG
<input type="checkbox"/> Front mirror, mechanical adjustment	0P2CJ
<input type="checkbox"/> Mirror housing, not painted	0P2CP
<input type="checkbox"/> Vehicle components, suitable for body width larger than 2,400 mm to 2,600 mm	0P2CT



<input type="checkbox"/> Preparation for rear-view camera, 1 units	0P2D0
--	-------

Seats

<input type="checkbox"/> Seat covers, fabric, standard	0P2PQ
<input type="checkbox"/> Premium driver's seat package, air-sprung	0PKXJ
<input type="checkbox"/> Comfort driver's seat, air-sprung, with lumbar support and shoulder adjustment	0P2P5
<input type="checkbox"/> Driver's seat arm rests	0P2OE
<input type="checkbox"/> Adjustment of seat belt height, driver's seat	0P4XQ
<input type="checkbox"/> Basic co-driver's seat package, unsprung, with storage box	0PKTZ
<input type="checkbox"/> Co-driver's seat, not sprung, with storage box	0P2OO
<input type="checkbox"/> Storage space, in seat bracket of co-driver's seat	0P2Q6
<input type="checkbox"/> Indicator, seat belt, 1st row of seats, acoustic and visual	0P8L1

Driver's workplace

<input type="checkbox"/> Multi-function steering wheel, adjustable height and angle	0P2GD
<input type="checkbox"/> Steering wheel, with parking position	0P2GE
<input type="checkbox"/> Steering lock	0P3JZ
<input type="checkbox"/> Professional instrumentation, 12.3"	0P3L2
<input type="checkbox"/> Tachograph, digital, with telecommunication (as per DSRC), CONTINENTAL	0P5DV
<input type="checkbox"/> Tachograph, calibrated	0P2KG
<input type="checkbox"/> Remote download for digital tachographs	0P2JJ
<input type="checkbox"/> Preparation for Toll Collect toll recording system	0P2MT
<input type="checkbox"/> Driving hours indicator, instrumentation	0P2MA
<input type="checkbox"/> Socket, cab centre, 2 units, 12 V and 24 V	0P2HX
<input type="checkbox"/> Plug-in ashtray, instrument panel in middle section, 1 unit	0P2FO
<input type="checkbox"/> Cigarette lighter	0P2IH
<input type="checkbox"/> Single DIN slots, 4 units, roof space, front	0P2FJ
<input type="checkbox"/> Without storage tray next to seat	0PJRS

Cab air-conditioning system

<input type="checkbox"/> Air-conditioning system, Climatronic	0P2NT
---	-------

Bunk area

<input type="checkbox"/> Without bunk area	0PKFY
--	-------

Cab interior

<input type="checkbox"/> Colour scheme for interior styling, dark	0P216
<input type="checkbox"/> Interior styling analogous to colour scheme	0PGBT
<input type="checkbox"/> Basic driver's workplace package	0PKPN
<input type="checkbox"/> Windscreen roller blind, internal	0P2FE
<input type="checkbox"/> Interior light, reading light (driver's side)	0PKMY
<input type="checkbox"/> Interior light, central	0PHA6
<input type="checkbox"/> Reading light, 1 unit, driver's side	0P2IQ
<input type="checkbox"/> Entry lighting	0P2IO
<input type="checkbox"/> Entry handles, standard	0PHPK
<input type="checkbox"/> Door interior cladding, washable	0P2IA
<input type="checkbox"/> Storage box, rear area	0PKWE
<input type="checkbox"/> Stowage compartment, 1 unit, cab rear wall, driver's side	0P2EY
<input type="checkbox"/> Storage box, centre area, to rear	0P2H9



<input type="checkbox"/> Grab handle, above door, internal, 2 units, 1 right and 1 left	0P2G2
---	-------

Accessories and tools

<input type="checkbox"/> Accessories and tools	0PKXC
<input type="checkbox"/> Vehicle toolkit	0P2TX
<input type="checkbox"/> First aid kit	0P3F3
<input type="checkbox"/> Warning triangle, 1 units	0P3FI
<input type="checkbox"/> Window cleaning set	0P3CI
<input type="checkbox"/> No jack	0P3F6

Intelligent Truck

Assistance systems

<input type="checkbox"/> Electronic Stability Program (ESP)	0P1TN
<input type="checkbox"/> Anti-slip control (ASR)	0P1T2
<input type="checkbox"/> Tempomat (cruise control, CC)	0P1TR
<input type="checkbox"/> Road speed limiter, adjustable, limiter (engine speed regulation)	0P0C3
<input type="checkbox"/> Emergency Brake Assist EBA, cannot be deactivated	0PHDA
<input type="checkbox"/> Lane Guard System (LGS)	0P1TT
<input type="checkbox"/> Turn assist	0P4FE
<input type="checkbox"/> MAN AttentionGuard, cannot be deactivated	0PKED
<input type="checkbox"/> Preparation for Alcohol Interlock, cannot be bypassed	0PHN3
<input type="checkbox"/> Front Detection, can be deactivated	0PHMY
<input type="checkbox"/> Traffic sign recognition	0PHND
<input type="checkbox"/> Reversing Motion System	0PHNW
<input type="checkbox"/> Without distance warning system	0PKA0
<input type="checkbox"/> Without MAN SafeStop Assist	0PLB5

Infotainment (radio,...)

<input type="checkbox"/> MMT infotainment system, Advanced Mid	0P2M0
<input type="checkbox"/> MAN sound system	0P2MG
<input type="checkbox"/> Europe and Russia navigation map	0P2MX
<input type="checkbox"/> Online traffic for navigation function	0P2N4
<input type="checkbox"/> Connectivity Board module	0P2MO
<input type="checkbox"/> Smartphone integration	0P2NE
<input type="checkbox"/> MAN app integration	0P2MC
<input type="checkbox"/> English additionally for display	0P2JQ

Bodies/interfaces

Interfaces to semitrailer (e.g. fifth-wheel coupling, brake connection,...)

<input type="checkbox"/> Without trailer brake connection behind cab	0P1O3
<input type="checkbox"/> No fifth-wheel coupling	0P1RJ
<input type="checkbox"/> Without sensing of the fifth-wheel coupling	0PHN7

Interfaces to trailer (e.g. trailer coupling, brake connections,...)

<input type="checkbox"/> Trailer coupling at final cross member, ROCKINGER type 400 G 150A	0P1NF
<input type="checkbox"/> Trailer bar coupling for pivot-plate trailer, on final cross member, 40 mm drawbar eye	0P1SI



<input type="checkbox"/> 2-line trailer brake connection, end of frame, centre, standard coupling	0P1NZ
<input type="checkbox"/> Trailer socket, frame end, 24 V, 15-pin	0P1OM
<input type="checkbox"/> Trailer socket for anti-lock brake system (ABS), end of frame	0P1O4

Ex works bodies and interfaces to bodies (e.g. tipper indicator...)

<input type="checkbox"/> Preparation for engine start/stop facility, under front panel	0P0K8
<input type="checkbox"/> Interface for body power supply, rear front panel	0P1DD
<input type="checkbox"/> Interface for data exch. with body (customer-specific control module) and engine intermediate speed control (ZDR), front area of cab	0P2NA
<input type="checkbox"/> Interface for vehicle data (FMS)	0P2J3

PTOs

<input type="checkbox"/> PTO, gearbox-dependent, Light Duty type, without flange, f=1.0, position approx. 3 o'clock	0PH0J
<input type="checkbox"/> 350 Nm torque, gearbox-dependent PTO	0PLKA
<input type="checkbox"/> Without fan wheel for PTO, gearbox-dependent	0P4VR
<input type="checkbox"/> Function parameters for PTO; gearbox-dependent, driving operation	0P4WP
<input type="checkbox"/> Sector-specific parameterisation for roll-off/set-down skip loader (working speed control)	0P4X1

Towing, recovery and lashing

<input type="checkbox"/> Central coupling jaw, integrated in bumper/front cross member, with lock pin	0P1MK
---	-------

Paintworks

Paintwork, cab, top

<input type="checkbox"/> Top coating, cab	0P6YB
---	-------

Paintwork, cab, bottom

<input type="checkbox"/> Textured coating, step units	0P6X9
<input type="checkbox"/> Textured coating, mudguard, behind cab	0P6YG
<input type="checkbox"/> Textured coating, bumper, steel	0P6YQ

Paintwork, chassis

<input type="checkbox"/> Without additional top coating on chassis	0PJTK
<input type="checkbox"/> Top coating, rims, steel, white-aluminium	0P6YL

Nationale Baugruppe

<input type="checkbox"/> 1 MAN Fahrerjacke, reflektierend (Damen/Herren)	DE04A
<input type="checkbox"/> Transportpauschale Leichte Reihe	DE1TR

Colour

<input type="checkbox"/> Top coating, cab	PURE WHITE RAL 9010
---	---------------------