

INNOVATION FROM TRADITION SINCE 1850



MEILLER skip loader AK12-MT

MEILLER skip loader AK12-MT

Pos. 10: Skip loader AK12-MT

Model	<ul style="list-style-type: none"> MEILLER skip loader AK12-MT 	AK12MT
	<ul style="list-style-type: none"> 3,730 mm long loading bridge 	
	<ul style="list-style-type: none"> GGVS suitability and ADR conformity on request 	
	Component surfaces:	
	<ul style="list-style-type: none"> Mounting brackets, side protection device including holder, rear Underrun protection, holders for tool boxes, net boxes and fenders, support plates for hydraulic connections for trailers in zinc-nickel finish or with top coat in RAL 7021 	
	<ul style="list-style-type: none"> suitable for transporting containers with a volume of 20 m³ according to DIN 30720 (depending on chassis) Language on signs, lists and instructions: German • suitable for a MAN chassis Number of axles Two-axle Gross vehicle weight (in t) 18.00 t Vehicle class 0P3JR (class N3) Remote control isar-control Version 3 Remote control isar-control with motor start/stop load-dependent rapid motion for quick setting down of the container • Axial piston pump speed regulation Individual control of telescopic booms and support legs 	20 VSP10 ONE 2 18.00 tons A2FFGK06 AST40 RMSS10 YES A2PUM01 ADR10 AES10 AKH30 610mm ACV35 AKL10 AUSEL FUS10 AKA10 AAK00 ABL10 AAW20 FUK10 FMK30 A2KON_02 AML00
steering	<ul style="list-style-type: none"> steering 	
Backup	<ul style="list-style-type: none"> pneumatic triple tipping hook with safety device Tilt hook spacing (M) 610 mm Hydraulic container locking using locking hooks at the rear Lateral hydraulic container clamping device for containers according to DIN 30720 and mobile compacted waste containers according to DIN 30730 Basic variant E-Line rigid underrun protection MEILLER safety eyes Chain suspension M-bracket (NG13) 3.5 mm aluminum base 	
Steel construction		
Boxes	<ul style="list-style-type: none"> Aluminium storage box with lid, 140 l 	
Accessories	<ul style="list-style-type: none"> Wedge holder Contour marking on the driver's cab and body in accordance with ECE R 104 Contour marking on driver's cab and body according to EC: Line contour white on the sides, yellow on the back 	
Assembly	<ul style="list-style-type: none"> Body painted Hydraulic oil filling with HLPD-22 mineral oil 	

- Multifunctional plate A2MFP01
- 2 years warranty period excl. the annual inspections (UVV inspections) A2GAR02

Special customer requests:

- Delivery of side marker light