

SPE 560

BASIC CRANE EQUIPMENT:

Crane base with pendulum beam	NO CE	STD/♦
Hydraulic extendable stabilizing crossbeams	7,8 m	
2 hydraulic swingable stabilizers	L=1.600 mm	
Articulated stabilizing pads on std. crane		
Secondary and telescopic booms in hexagonal section		
Double acting rams wth hydropiloted load holding valve		
Regenerative circuit on extension cylinders to increase the outlet speed		
High pressure filter		
Fully hydraulic load limiting device		
Oil tank to be mounted under frame	240 l	
Slewing system with motor, pinion and ring gear	600°	
Proportional control valve mounted on the crane basement		
Oil cooler		
Dual controls		
Swivel hook for std. crane	22 t	
Mounting kit accessories		
Hydraulic system arranged for fixed displacement pump		
Painting with epoxy primer and bicomponent topcoat		
Std colours: yellow Ral 1028 for column and booms; rest in grey Ral 7016		

BASIC CRANE

Radio remote control

Scanreco radio remote control combined to Danfoss control valve and oil cooler already provided with std crane: **REF.**

Scanreco radio remote control (4F: std crane)	RRC 3.0	
---	---------	--

Accessories

REF.

2 medium size stabilizers L=960 mm - stroke 545 mm;	1380 mm	
---	---------	--