



## Vehicle description for: TGM 18.250 4x2 BB CH



Illustration can deviate

### Vehicle standards

Product family	The new MAN Truck Generation
Model & Variant	TGM 18.250 4x2 BB CH
Emission class	EURO5
Engine family	D08R6
Engine output	184 kW
Vehicle type	Vehicle type, platform truck and chassis (LK)
Body type	060 Box body, universal
Cab	Compact CC cab
Main wheel distance	4425 mm
Overhang	2325 mm
Steering configuration	Left

### Vertical Load

	National Registration	Technical Load	Technical Load Plus
Gross weight	18,000 kg	18,600 kg	18,600 kg
Front axle	7,100 kg	7,100 kg	7,100 kg
Rear axle	11,500 kg	11,500 kg	11,500 kg

### Horizontal Load

	National Registration	Technical Load	Technical Load Plus
Gross train weight	0 kg	0 kg	0 kg



The printed images in this offer are for explanatory purposes and may differ from the actual configuration.  
For further product information on the tire selection "selectively", please contact our sales staff.

## Vehicle characteristics

### Basic characteristics

<input type="checkbox"/>	Application area, beside road easy (T1)	0PLSE
<input type="checkbox"/>	Vehicle version for public service deployment	0P0H7
<input type="checkbox"/>	Chassis	0P2U9
<input type="checkbox"/>	Chassis class, light/medium	0P2UB
<input type="checkbox"/>	Destination Togo (TG)	0PGB2
<input type="checkbox"/>	Merchant tonnage 18 t	0P8LF
<input type="checkbox"/>	Basic layout, weight-optimised vehicle	0PLSK
<input type="checkbox"/>	Frame type, normal height	0P2TS
<input type="checkbox"/>	Vehicle type, platform truck and chassis (LK)	0P2UQ
<input type="checkbox"/>	Left-hand-drive	0P3AS
<input type="checkbox"/>	Right-hand traffic	0P3F5
<input type="checkbox"/>	Vehicle documents in English	0P2L7
<input type="checkbox"/>	Labelling in English	0P8NM
<input type="checkbox"/>	Cab position 530 mm (distance from frame lower edge to cab floor)	0PHBD

### Registration

<input type="checkbox"/>	Vehicle approval, N3 class	0P3JR
<input type="checkbox"/>	Maximum speed limiter, 85 km/h, electronic, engine speed regulation	0P2UI
<input type="checkbox"/>	Maximum vehicle noise level, 80 dB in acc. with UN/ECE-R 51.02	0PINC
<input type="checkbox"/>	Height over cab, unloaded up to 4,000 mm	0PHA1
<input type="checkbox"/>	Vehicle classification in accordance with regulation (EU) 2018/858	0PKAW

### Documents

<input type="checkbox"/>	Without registration documentation, national	0P3B0
--------------------------	--	-------

### Application scope / transport tasks

<input type="checkbox"/>	Distribution transport, general cargo	0P6WA
<input type="checkbox"/>	060 Box body, universal	0P2QS
<input type="checkbox"/>	Temperature range, vehicle deployment, warm country	0PHIB
<input type="checkbox"/>	Case hardness of final drive Distribution	0P4F0

### Lines, editions and packages

<input type="checkbox"/>	Without Efficient Drive	0PVBQ
<input type="checkbox"/>	Special request paintwork	0PJTD
<input type="checkbox"/>	Without Individual Lion package	0PJT1

### Horizontal and vertical loads

<input type="checkbox"/>	18,000 kg permitted gross load, vertical, nat. appr.	0P5PB
<input type="checkbox"/>	18,600 kg permitted gross load, vertical, tech.	0P5S7
<input type="checkbox"/>	18,600 kg permitted gross load, vertical, tech. Plus	0P8GT
<input type="checkbox"/>	7,100 kg permitted load on front axle, nat. appr.	0P5KQ
<input type="checkbox"/>	7,100 kg permitted load on front axle, tech.	0P5LK
<input type="checkbox"/>	7,100 kg permitted load on front axle, tech. Plus	0P8DY
<input type="checkbox"/>	11,500 kg permitted load on rear axle NatZu	0P5G7
<input type="checkbox"/>	11,500 kg permitted load on rear axle, tech.	0P5IJ



- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | 11,500 kg permitted load on rear axle, tech. Plus | 0P8BN |
| <input type="checkbox"/> | 0kN D value                                       | 0P8XD |

#### Notification texts

- |                          |                               |       |
|--------------------------|-------------------------------|-------|
| <input type="checkbox"/> | Without note (propshaft wear) | 0PJRV |
|--------------------------|-------------------------------|-------|

#### Chassis

##### Vehicle frame (wheelbase, overhang, ...)

- |                          |  |       |
|--------------------------|--|-------|
| <input type="checkbox"/> | Main wheelbase, 4,425 mm               | 0P2ZV |
| <input type="checkbox"/> | Frame overhang, rear, 2,325 mm         | 0P3DT |
| <input type="checkbox"/> | Main frame side member thickness, 7 mm | 0P0Y5 |
| <input type="checkbox"/> | Vehicle rear, straight end of frame    | 0P0XT |

##### Exhaust system, air intake

- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | Exhaust silencer, side, right             | 0P1BH |
| <input type="checkbox"/> | Exhaust tailpipe, towards middle of frame | 0P1BT |
| <input type="checkbox"/> | Air intake, behind cab, raised            | 0P0AY |

##### Battery cases, batteries, alternator

- |                          |  |       |
|--------------------------|--|-------|
| <input type="checkbox"/> | 2 batteries, 12 V, 180 Ah, long-life (EFB), maintenance free | 0PGB1 |
| <input type="checkbox"/> | Three-phase alternator 28 V, 120 A, 3,360 W, Longlife Eco    | 0P1BW |
| <input type="checkbox"/> | Medium battery box, 2 batteries                              | 0P0WU |
| <input type="checkbox"/> | Battery box, left  | 0P0WO |
| <input type="checkbox"/> | Main battery switch, mechanical                              | 0P0WF |
| <input type="checkbox"/> | Fuses  | 0P1V1 |

##### Tanks and fuel line

- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | Fuel tank capacity 150 l, right               | 0P4DZ |
| <input type="checkbox"/> | Fuel tank, right, steel                       | 0P4GN |
| <input type="checkbox"/> | Tank cross-section, right, low                | 0P4HF |
| <input type="checkbox"/> | AdBlue tank capacity 35 l, right              | 0P4CZ |
| <input type="checkbox"/> | AdBlue tank, right, plastic                   | 0P4HU |
| <input type="checkbox"/> | Fuel tank cap, lockable for master key system | 0P4H5 |
| <input type="checkbox"/> | Cap for AdBlue tank, lockable                 | 0P4GE |
| <input type="checkbox"/> | Fuel pre-filter on the frame                  | 0PKN2 |

##### Frame attachments

- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | Underride protection, front                           | 0P1FN |
| <input type="checkbox"/> | Without working platform                              | 0P0VH |
| <input type="checkbox"/> | Without underride protection, side                    | 0P1FG |
| <input type="checkbox"/> | Spare wheel hoist on left side, in front of rear axle | 0P0XO |
| <input type="checkbox"/> | Hoist for spare wheel                                 | 0P0VN |
| <input type="checkbox"/> | Final cross member, with hole pattern 160 x 100 mm    | 0P1SB |
| <input type="checkbox"/> | Underride protection, rear, round                     | 0P1FD |
| <input type="checkbox"/> | Wheel chock, 1 unit, with retaining device            | 0P1FO |
| <input type="checkbox"/> | Without body attachment brackets/thrust plates        | 0P0X6 |

##### Pneumatic brakes, compressed-air generation, brake system



<input type="checkbox"/>	Air compressor, 1-cylinder, 238 ccm	0P0AD
<input type="checkbox"/>	Air dryer, heated	0P0B2
<input type="checkbox"/>	Compressed-air treatment, electronically controlled	0P0AA
<input type="checkbox"/>	Steel compressed-air tank	0P0XH
<input type="checkbox"/>	Electronic brake system (EBS)	0P0BL
<input type="checkbox"/>	Anti-lock braking system (ABS)	0P0BE
<input type="checkbox"/>	Full brake assistant	0P0CM
<input type="checkbox"/>	Without preparation for EBS Full control unit	0PHPM
<input type="checkbox"/>	MAN EVB high-performance engine brake	0P0BV
<input type="checkbox"/>	Disc brakes on front axle	0P1I9
<input type="checkbox"/>	Disc brakes on rear axle	0P1I4
<input type="checkbox"/>	Parking brake control, next to driver's seat	0P3KH
<input type="checkbox"/>	Parking brake with spring-type actuator on rear axles (incl. leading axle/ trailing axle)	0PGBL
<input type="checkbox"/>	MAN EasyStart immobiliser	0P1TF
<input type="checkbox"/>	Brake lining thickness display, with brake lining wear warning	0P0BG
<input type="checkbox"/>	Harmonisation of brake lining wear	0P0BI

#### Lights and acoustic signals on the chassis (rear lights, ...)

---

<input type="checkbox"/>	Rear lights	0P2AQ
<input type="checkbox"/>	Acoust. Reversing warning system when reverse gear selected	0P3CD
<input type="checkbox"/>	Light function test	0P2AD
<input type="checkbox"/>	No side marker lights	0P2BK

#### Driveline/running gear

---

##### Engine, radiator

---

<input type="checkbox"/>	Diesel engine MAN D0836 LFL89, 184 kW (250 hp) output, 1,050 Nm torque, Euro 5	0P5ZX
<input type="checkbox"/>	Fuel filter, heated, for fuels up to Cleanliness Class 25	0PHIG
<input type="checkbox"/>	Fuel pre-filter, with oil separator/water trap, with water sensor, heated	0P4XP
<input type="checkbox"/>	Without torque reduction	0P0G5
<input type="checkbox"/>	Engine dry-air filter, with safety insert	0P0B8
<input type="checkbox"/>	Ventilation, crankcase, closed	0P8PM
<input type="checkbox"/>	Anti-noise skirt, engine	0P2E7
<input type="checkbox"/>	Engine cooler, normal length	0P4XX
<input type="checkbox"/>	Engine oil dipstick	0P0B5
<input type="checkbox"/>	Antifreeze, down to -32 °C	0P0AK
<input type="checkbox"/>	Service product level indicator and intake system vacuum	0P3KT

##### Gearbox, clutch

---

<input type="checkbox"/>	MAN PowerMatic 08.13 OD	0PHMK
<input type="checkbox"/>	Gearbox for normal percentage of overrun during driving operation	0PGDA
<input type="checkbox"/>	Gearbox, 8-speed	0PHML
<input type="checkbox"/>	MAN TipMatic actuation, with drop arm, manual (DNR option, switching strategy option)	0P3KI
<input type="checkbox"/>	MAN Idle Speed Driving gearbox function	0P0ER
<input type="checkbox"/>	MAN TipMatic Efficiency driving program, up to 70,000 kg	0P0FA
<input type="checkbox"/>	Without drive clutch	0PIXX
<input type="checkbox"/>	Main propshaft, 14,000 Nm functional limit torque	0PKZG
<input type="checkbox"/>	Propshafts with standard grease, cannot be lubricated	0PKZL



- Gearbox heat exchanger 0P0FW

## Wheels, tyres

---

- Required tyre speed index G 0PFWA
- Tyres for front axle, Goodyear 295/80R22.5 OMNITRAC S Steering-Road+Offroad TL 0PGJZ
- Rim type, front axle, steel, single-part 0P0P0
- Rim size, front axle, 10-hole, 9.00x22.5 0P0NI
- Wheel nut cover ring, front axle 0P0PR
- Tyres for rear axle, Goodyear 295/80R22.5 OMNITRAC D Drive-Road+Offroad TL 0PGEB
- Rim type, rear axle, steel, single-part 0P0OO
- Rim size, rear axle, 10-hole, 8.25x22.5 0P0MQ
- Spare wheel, in accordance with configuration for front axle tyres 0P0MH
- Centring sleeves for rim mounting 0PHZW

## Axles

---

- 4x2 0P3B1
- Steering ratio, standard 0P1JX
- Steering oil tank with dipstick 0P1JW
- Front axle, 7,500 kg, not driven, cranked, steered, not liftable 0P5EQ
- Mudguard, front axle 0P1AT
- Splash guard mat on mudguard, front axle, longer at bottom 0P1XS
- Rear axle, 11,500 kg, HY axle without drive shaft, straight, not steered, not liftable 0P4ZL
- Twin tyre on rear axle 0P1HN
- Transfer mudguard, rear axle 0P1AQ
- Axle ratio, i = 4.63 0P0D9
- Differential locks on driven rear axles 0P0DI
- Without differential locks, front axles 0P0DL

## Axle control system and suspension

---

- Suspension type for front axles and driven rear axles, leaf/leaf (BB) 0P2YB
- Leaf-spring suspension on front axle, parabolic, 1-leaf, steel 0P1JC
- Leaf-spring suspension on rear axle, parabolic, 4-leaf, steel 0PGBF
- Spring load-bearing capacity front axle 7,100 kg 0P5CY
- Spring load-bearing capacity of rear axle, 11,500 kg 0P5BT
- Shock absorbers on front axle 0P1M4
- Shock absorbers on rear axle 0P1LQ
- Stabiliser, front axle 0P1LD
- Stabiliser, rear axle 0P1LA
- Axle location system not as wishbone 0P6ZY
- Without air suspension control, trailer/semitrailer 0PHN2

## Cab

---

### Cab and cab exterior

---

- Compact CC cab 0P2DK
- Cab mount, Basic 0P1V8
- Cab tilt mechanism, manual 0P1V6
- No tilting roof/sliding roof 0P1VY



<input type="checkbox"/>	Bumper, plastic	0P1SD
<input type="checkbox"/>	Front step, integrated, with grab option	0P1VE
<input type="checkbox"/>	Windscreen, composite safety glass, tinted	0P1X0
<input type="checkbox"/>	Sunblind, in front of windscreen	0P1WK
<input type="checkbox"/>	Wiper system for windscreen	0P1WG
<input type="checkbox"/>	Wiper activation, manual	0P1UL
<input type="checkbox"/>	Step unit, rigid	0P1UZ
<input type="checkbox"/>	Central locking, no remote control	0P1WS
<input type="checkbox"/>	Vehicle key, 4 units	0P3JU
<input type="checkbox"/>	No door extension	0P1WW
<input type="checkbox"/>	Door labelling, according to trade tonnage of vehicle	0P2DQ
<input type="checkbox"/>	Door windows, tinted	0P1WO
<input type="checkbox"/>	Door window, safety glass	0P1WM
<input type="checkbox"/>	Cab rear wall, no window	0P1VD

#### Lights and acoustic signals on cab exterior (headlights, horn, ...)

<input type="checkbox"/>	H7 package Basic, front headlights	0PKWT
<input type="checkbox"/>	Front headlights, H7	0P1ZN
<input type="checkbox"/>	Daytime driving lights, H7	0P2BN
<input type="checkbox"/>	Turn signal lights, sides, bulb	0P1Z6
<input type="checkbox"/>	Headlight beam regulator, manual	0P2AC
<input type="checkbox"/>	Driving-light control, manual	0P1ZF
<input type="checkbox"/>	Contour lights, bulb, 2 units	0P2BT
<input type="checkbox"/>	Horn, two-tone, electrical	0P1W1
<input type="checkbox"/>	Preparation for loading area lighting	0P2A5
<input type="checkbox"/>	Without revolving beacons at the rear of the vehicle	0PJRO

#### Mirrors and mirror replacements

<input type="checkbox"/>	Mirror package, exterior rear-view mirror, manually adjustable, front mirror, kerb mirror, right	0PKWY
<input type="checkbox"/>	Exterior rear-view mirror, mechanically adjustable	0P2CC
<input type="checkbox"/>	Kerb mirror, right, mechanically adjustable	0P2CH
<input type="checkbox"/>	Front mirror, mechanical adjustment	0P2CJ
<input type="checkbox"/>	Mirror housing, not painted	0P2CP
<input type="checkbox"/>	Vehicle components, suitable for body width larger than 2,400 mm to 2,600 mm	0P2CT

#### Seats

<input type="checkbox"/>	Seat covers, fabric, standard	0P2PQ
<input type="checkbox"/>	Plus driver's seat package, air-sprung	0PKXF
<input type="checkbox"/>	Comfort driver's seat, air-sprung	0P2P2
<input type="checkbox"/>	Plus co-driver's seat package, air-sprung	0PKTP
<input type="checkbox"/>	Comfort co-driver's seat, air-sprung	0P2OK
<input type="checkbox"/>	Indicator, seat belt, 1st row of seats, acoustic and visual	0P8L1

#### Driver's workplace

<input type="checkbox"/>	Multi-function steering wheel, adjustable height and angle	0P2GD
<input type="checkbox"/>	Steering wheel, with parking position	0P2GE
<input type="checkbox"/>	Steering lock	0P3JZ
<input type="checkbox"/>	Professional instrumentation, 12.3"	0P3L2
<input type="checkbox"/>	Tachograph Simulation Unit (TSU), instead of tachograph	0P2KY



<input type="checkbox"/>	Tachograph, calibrated	0P2KG
<input type="checkbox"/>	Plug-in ashtray, instrument panel in middle section, 1 unit	0P2FO
<input type="checkbox"/>	Cigarette lighter	0P2IH
<input type="checkbox"/>	Single DIN slots, 4 units, roof space, front	0P2FJ
<input type="checkbox"/>	Without storage tray next to seat	0PJRS

#### Cab air-conditioning system

---

<input type="checkbox"/>	Air-conditioning system, manual	0P2NU
--------------------------	---------------------------------	-------

#### Bunk area

---

<input type="checkbox"/>	Without bunk area	0PKFY
--------------------------	-------------------	-------

#### Cab interior

---

<input type="checkbox"/>	Dark Moon Grey with silver colour scheme for cab interior	0PKFZ
<input type="checkbox"/>	Interior styling analogous to colour scheme	0PGBT
<input type="checkbox"/>	Basic driver's workplace package	0PKPN
<input type="checkbox"/>	Windscreen roller blind, internal	0P2FE
<input type="checkbox"/>	Interior light, reading light (driver's side)	0PKMY
<input type="checkbox"/>	Interior light, central	0PHA6
<input type="checkbox"/>	Reading light, 1 unit, driver's side	0P2IQ
<input type="checkbox"/>	Entry lighting	0P2IO
<input type="checkbox"/>	Entry handles, standard	0PHPK
<input type="checkbox"/>	Door interior cladding, washable	0P2IA
<input type="checkbox"/>	Without additional storage and stowage space	0PKWA
<input type="checkbox"/>	Grab handle, above door, internal, 2 units, 1 right and 1 left	0P2G2

#### Accessories and tools

---

<input type="checkbox"/>	Vehicle tool kit without accessories	0PKXB
<input type="checkbox"/>	Vehicle toolkit	0P2TX
<input type="checkbox"/>	No warning triangle	0P3FH
<input type="checkbox"/>	Jack, 10,000 kg	0P3F7

#### Intelligent Truck

---

##### Assistance systems

---

<input type="checkbox"/>	Anti-slip control (ASR)	0P1T2
<input type="checkbox"/>	Tempomat (cruise control, CC)	0P1TR
<input type="checkbox"/>	Without advanced emergency braking system	0P1U5
<input type="checkbox"/>	Without driving fitness detection system	0PHN5
<input type="checkbox"/>	Without Front Detection	0PHNA
<input type="checkbox"/>	Without traffic sign recognition	0PHNE
<input type="checkbox"/>	Without Reversing Motion System	0PHNV
<input type="checkbox"/>	Without distance warning system	0PKA0
<input type="checkbox"/>	Without MAN SafeStop Assist	0PLB5

##### Infotainment (radio,...)

---

<input type="checkbox"/>	MMT infotainment system, Starter Basic	0P2M1
<input type="checkbox"/>	MAN loudspeaker system	0P2MF
<input type="checkbox"/>	No navigation map	0P2N2



## Bodies/interfaces

---

### Interfaces to semitrailer (e.g. fifth-wheel coupling, brake connection,...)

---

- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | Without trailer brake connection behind cab | 0P1O3 |
| <input type="checkbox"/> | No fifth-wheel coupling                     | 0P1RJ |
| <input type="checkbox"/> | Without sensing of the fifth-wheel coupling | 0PHN7 |

### Interfaces to trailer (e.g. trailer coupling, brake connections...)

---

- |                          |  |       |
|--------------------------|--|-------|
| <input type="checkbox"/> | Towing coupling at final cross member, RINGFEDER type 6451 | 0P1MY |
| <input type="checkbox"/> | Towing coupling on final cross member                      | 0P1SH |
| <input type="checkbox"/> | Without trailer brake connection at end of frame, centre   | 0P1O0 |
| <input type="checkbox"/> | Without trailer socket at frame end                        | 0P1OW |
| <input type="checkbox"/> | Without trailer socket for anti-lock brake system (ABS)    | 0P1O9 |

### Ex works bodies and interfaces to bodies (e.g. tipper indicator...)

---

- |                          |  |       |
|--------------------------|--|-------|
| <input type="checkbox"/> | Interface for data exchange with tipper (customer-specific control module) and intermediate engine speed (ZDR), front area of cab and behind cab | 0PKNU |
| <input type="checkbox"/> | Interface for extended signal output (EIO)   | 0PJBE |

### PTOs

---

- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | Without fan wheel for PTO, gearbox-dependent  | 0P4VR |
| <input type="checkbox"/> | Preparation, electr., for subsequent installation of a shiftable PTO, gearbox-dependent | 0P4OI |
| <input type="checkbox"/> | Sector-specific parameterisation, general   | 0P4X0 |

### Towing, recovery and lashing

---

- |                          |  |       |
|--------------------------|--|-------|
| <input type="checkbox"/> | Central coupling jaw, integrated in bumper/front cross member, with lock pin | 0P1MK |
|--------------------------|--|-------|

## Paintworks

---

### Paintwork, cab, top

---

- |                          |                  |       |
|--------------------------|------------------|-------|
| <input type="checkbox"/> | Top coating, cab | 0P6YB |
|--------------------------|------------------|-------|

### Paintwork, cab, bottom

---

- |                          |  |       |
|--------------------------|--|-------|
| <input type="checkbox"/> | Textured coating, step units           | 0P6X9 |
| <input type="checkbox"/> | Textured coating, mudguard, behind cab | 0P6YG |
| <input type="checkbox"/> | Textured coating, bumper, plastic      | 0P6YP |

### Paintwork, chassis

---

- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | Without additional top coating on chassis | 0PJTK |
| <input type="checkbox"/> | Top coating, rims, steel, white-aluminium | 0P6YL |

## Colour

---

- |                          |                  |                     |   |
|--------------------------|------------------|---------------------|---|
| <input type="checkbox"/> | Top coating, cab | PURE WHITE RAL 9010 | N |
|--------------------------|------------------|---------------------|---|



## Technical data: TGM 18.250 4x2 BB CH / L08DAA04

Vehicle type: Vehicle type, platform truck and chassis (LK)

Cab: Compact CC cab

Drive Type: 4x2

<b>Lengths</b>		<b>mm</b>
TD071	Total length	8445.0
TD063	Front vehicle overhang	1530.0
TD057	Wheelbase between front axles	0
TD058	Wheelbase between leading axle and rear axle	0
TD059	Wheelbase between rear axles	0
TD060	Wheelbase between rear axle and trailing axle	0
TD064	Rear frame overhang	2325.0
TD072	Distance from first front axle to body	441.0
TD067	Distance to kingpin from front axle, nominal position	-
TD074	Slew radius, front	-
TD075	Slew radius, rear	-
TD068	Coupling length	8127.0

<b>Lengths</b>		<b>mm</b>
TD071	Total length	8445.0
TD063	Front vehicle overhang	1530.0
TD057	Wheelbase between front axles	0
TD058	Wheelbase between leading axle and rear axle	0
TD059	Wheelbase between rear axles	0
TD060	Wheelbase between rear axle and trailing axle	0
TD064	Rear frame overhang	2325.0
TD072	Distance from first front axle to body	441.0
TD067	Distance to kingpin from front axle, nominal position	-
TD074	Slew radius, front	-
TD075	Slew radius, rear	-
TD068	Coupling length	8127.0

<b>Widths</b>		<b>mm</b>
TD008	Width included rearview mirror	2981.0
TD001	Width over cab	2240.0

<b>Widths</b>		<b>mm</b>
TD008	Width included rearview mirror	2981.0
TD001	Width over cab	2240.0

<b>Frame</b>		<b>mm</b>
TD009	Frame width at front	964.0
TD010	Frame width at the rear	864.0
TD078	Frame profile	270 x 70 x 7

<b>Frame</b>		<b>mm</b>
TD009	Frame width at front	964.0
TD010	Frame width at the rear	864.0
TD078	Frame profile	270 x 70 x 7

<b>Heights</b>		<b>mm</b>
TD033	Maximum external height, unladen	2949.0
TD082	Total transport height, unladen	2949.0
TD034	Maximum external height, laden	2873.0
TD035	Frame height at theoretical rear wheelbase, unladen	1077.0
TD036	Frame height at theoretical rear wheelbase, laden	944.0
TD045	Raising from driving position, front	0.0
TD046	Lowering from driving position, front	0.0
TD047	Raising from driving position, rear	0.0
TD048	Lowering from driving position, rear	0.0
TD051	Height of fifth-wheel coupling above ground, unladen	-
TD052	Height of fifth-wheel coupling above ground, laden	-

<b>Heights</b>		<b>mm</b>
TD033	Maximum external height, unladen	2949.0
TD082	Total transport height, unladen	2949.0
TD034	Maximum external height, laden	2873.0
TD035	Frame height at theoretical rear wheelbase, unladen	1077.0
TD036	Frame height at theoretical rear wheelbase, laden	944.0
TD045	Raising from driving position, front	0.0
TD046	Lowering from driving position, front	0.0
TD047	Raising from driving position, rear	0.0
TD048	Lowering from driving position, rear	0.0
TD051	Height of fifth-wheel coupling above ground, unladen	-
TD052	Height of fifth-wheel coupling above ground, laden	-

<b>Circle dimensions</b>		<b>m</b>
TD055	Track circle diameter	15.5
TD056	Wall-to-wall turning circle diameter	17.0

<b>Circle dimensions</b>		<b>m</b>
TD055	Track circle diameter	15.5
TD056	Wall-to-wall turning circle diameter	17.0

<b>Weights/loads</b>		<b>kg</b>
TD026	Chassis weight with cab	5575
TD027	Chassis weight, front	3672
TD028	Chassis weight, rear	1903
TD029	Payload	12425
TD018	Statutorily permissible gross vehicle weight	18000
TD025	Technically permissible gross vehicle weight	18600
TD031	Statutorily permissible gross train weight	0
TD032	Statutorily permissible trailer load	0

<b>Weights/loads</b>		<b>kg</b>
TD026	Chassis weight with cab	5575
TD027	Chassis weight, front	3672
TD028	Chassis weight, rear	1903

The technical data must be considered as an approximation. Some of the values are given in a simplified form. More detailed notes and descriptions can be found in the respective information in the overview. Contents and specifications have been compiled with the greatest possible care. Nevertheless, we do not assume responsibility for the data and values supplied being correct and up to date. Subject to errors and changes. MAN Truck & Bus AG is liable only in cases of intent, gross negligence or culpable breach of significant contractual obligations.



TD029	Payload	12425
TD018	Statorily permissible gross vehicle weight	18000
TD025	Technically permissible gross vehicle weight	18600
TD031	Statorily permissible gross train weight	0
TD032	Statorily permissible trailer load	0

The technical data must be considered as an approximation. Some of the values are given in a simplified form. More detailed notes and descriptions can be found in the respective information in the overview. Contents and specifications have been compiled with the greatest possible care. Nevertheless, we do not assume responsibility for the data and values supplied being correct and up to date. Subject to errors and changes. MAN Truck & Bus AG is liable only in cases of intent, gross negligence or culpable breach of significant contractual obligations.