

Technical specification

SCHMITZ CARGOBULL insulated Truck - body FERROPLAST

MKO - FP COOL V7 - FP 45 COOL

Model: 674912

Dimensions and weights

Internal length	ap.	6.050 mm	Total tare weight	+/- 3%	2.888 kg
Internal width	ap.	2.490 mm	Overall length	ap.	6.200 mm
Internal height	ap.	2.250 mm	Overall trailer width	ap.	2.600 mm
Usable internal length	ap.	6.050 mm	Door aperture height	ap.	2.240 mm
Usable internal height	ap.	2.250 mm	Door aperture width	ap.	2.490 mm
Total height at front (unladen)	ap.	2.509 mm			
Total height at rear (unladen)	ap.	2.509 mm			
Brand of truck		MAN			
Type of truck		TGM			
Axle formula		4x2			
Trailer operation		NEIN			

Special requests are not considered in the above mentioned dimensions and weights.

Chassis

CARGOBULL *** HIGHLIGHTS ***

C00432 with load securing cert. and sticker to front b/head and sidewall rear RHS internal
 C00275 Production PANEVEZYS

Registration/Certification

X90424 Customer delivers truck chassis to SCB Baltic
 P02190 2 warning plates to rear 565x132 ECE-R70 yellow/red stripes; vertical on rear wall
 X91019 Country of registration: "Lithuania"
 X91501 without HACCP certificate
 X90120 International custom seal (TIR) for body with rear door, without TIR certificate
 M00902 Without tachograph test acc. §57b

Chassis

M00133 Body assembly on diesel truck chassis

M00307 M.KO order as solo vehicle (without trailer delivery by SCB)

M00300 no provision for trailer traffic

X00233 Side guard for HGV

C20002 Without rear underrun bar (available on the truck)

M00131 Adapt HGV chassis frame protrusion

Sub frame

C00201 Galvanized subframe screwed

Light system

C24026 M.KO lamp holder galvanised

E00096 Without side tracking lights

E00308 without "Plug & Play" options in truck specification

K75086 Switch for interior light at the rear, under the floor

E00222 Side marker lights with reflectors for rigid

K75101 2 white front top position marker lights, 2 red rear top position marker lights

Spray suppression

P00830 Vertical plastic mudguards

P00706 Anti-spray mud flaps with Schmitz Cargobull logo, side spray guard

Further chassis equipment

C90302 Galvanised foldaway steel ladder with step at top, fitted to the rear

M00140 Truck without roof spoiler

V00008 Without lashing rings

X90036 Number plate holder fitted on HGV

X10404 Plastic toolbox with cover holder, sleeves and drawer

P02020 2 rear corner rubber block buffers

P02024 1 rear rubber buffer across rear width

P02131 1 fire extinguisher 6kg, with storage box

Tail-Lift

L10010 Without provision for tail lift.

Loadsecuringcertificate

C00951 Body strength certified to DIN EN 12642 Code XL

Bodywork

Body

K00001 PU foam panel, free of thermal bridges, sealed against vapour diffusion

K00886 M.KO FP V7, internal length 6050 mm

K09001 Inner skin is 0.6mm PVC coated steel scuffproof and load safe

Front bulkhead/Roof/Side walls

K21020 Insulated front bulkhead, NX17 foam, with reinforcement for fridge installation

K41022 without kick strip for distribution transport Loading/unloading

K41028 Without alu. inner angle roof / side wall

K42010 FP insulated sidewall, COOL 45, NX17 foam

K62004 FP strong insulated roof, NX17 foam

K72301 2 x Row(s) recessed galvanized load restraint track to both walls,without side door-6050

Floor to middle of 1st load securing rail 600 mm

Floor to middle of 2nd load securing rail 1.200 mm

Rear closure

K31050 FP 2-wing rear door, insulated, NX17 foam, with simple stainl. steel locking mechanism

K56005 Rear wall door -Emergency opener from inside, rotatable design

K39013 Rear frame is stainless steel, sand blasted finish

K73311 300mm depth, anodized aluminium kick strip fitted at base of each rear door

P02040 Hinge protection rubber buffers fitted vertically to lower part of the rear frame

P02071 Without add. buffer protection to rear frame across bottom

floor

K11107 2 drains with taps at the front of the floor with extended hoses
K11151 Aluminium barley seed floor, low noise Test load 5500 kg V7
K12001 300mm aluminium kick strip at front and both sides welded to floor

Further body equipment

C90105 Foldable ladder on the bulkhead in driving direction left
K72451 4 x Telescopic round locking beam with rubber foot at each end
K72466 without multifunction clamping bars
K75113 Particularly bright LED lighting inside the box
K72427 2 x Rounded steel telescopic locking bar (galv. steel) horizontal, with pins on both sides
K72441 6 x Tension belt appr. 3500mm with tension lock
K72448 Without tension belt for double stack system
K92004 PVC plastic strip curtain at rear door aperture - 3 sections, moveable to side

Cooling unit

K80194 With Whisper noise protection package for T-series cooling units
K91538 Door contact switch for cooling unit ON/OFF coupled with roller shutter / rear wall door
K80573 provision for THERMO KING T-800R
K80001 Fridge unit aperture cut out and bolt holes drilled in front bulkhead
K81331 THERMO KING T-800R 50 with Battery and Battery box
K80177 Asmbly package f.MonoTemp.cooling unit, M.KO (plug-in device) B
K80254 Add.steel fuel tank, black, 90 litres on truck for ref.unit
K91440 Without provision for temperature recorder (only for ATP application)
K80117 Assembly of control unit for remote control refrig. unit in driver's cab in radio bay

Painting/Finishing

K99204 Roof painted in SCB 9010 white
X90340 Partial contour marking, side, white, rear red all around
X90621 without loading line without frigoroute-sticker
K99050 Body finished in white SCB 9010
X90328 SCHMITZ-CARGOBULL logo on rear doors l.h.s.
X90199 Without lettering
X90344 Contour markings on the side of the cab

Special request

(not included in the above mentioned dimensions and weights)

K11104	2 drains with taps at the rear of the floor with extended hoses	1 Piece
V00052	6 pairs of lash. rings to side in ALU chequer plate, 2000kg max load per ring to DIN 12640	1 Piece
X90622	Loading line 40mm width on side wall 270mm lower edge roof, with Frigoroute foil	1 Piece
SON001	F89825 - Fridge standy cable with plug fitted to rear 20m cable and connection in toolbox	1 Piece
SON002	Pharma certificate	1 Piece
X90309	Provision ATP FRC - certification incl. decals and ATP-type plate (B)	1 Piece
SON001	eliminate K80194	1 Piece
K91376	Temperature recorder Touch Log Premium with printer, according to EU dir. 12830	1 Piece
SON001	Price load securing rings	1 Piece

Optional equipment is not included in the technical specification.

Finishing / Colour specification

Part	Color	Number	Classification
Subframe	HOT DIP GALVANISED	10	—

Finishing / Colour specification

Part	Color	Number	Classification
Side guard	WHITE ALUMINIUM (SILVER)	9006	RAL
Body	SCHMITZ WHITE	9010	SCB
Roof	SCHMITZ WHITE	9010	SCB